




























hwde


Sheet: /
File: network-switch.kicad_sch

Title: network-switch: 5-port managed GbE switch


Size: A3	Date:	**Rev: 1**
KiCad E.D.A. 10.0.6		Id: 1/5










































hwde

Sheet: /power/

File: power.kicad_sch

Title: network-switch: USB-C 5 V in, fuse, TVS, INA226, 3V3 / 1V2 bucks, 2


Size: A2	Date:	**Rev: 1**
KiCad E.D.A. 10.0.6		Id: 2/5




hwde
Sheet: /mcu/
File: mcu.kicad_sch


Title: network-switch: STM32F407: RMII + SPI to the switch, USB, SWD, I2C

Size: A2	Date:	Rev: 1
KiCad E.D.A. 10.0.6		Id: 3/5



hwde	
Sheet: /switch/	
File: switch.kicad_sch	
Title: network-switch: KSZ9897R: supplies, 25 MHz, straps, reset, ISET	
Size: A2	Date:
KiCad E.D.A. 10.0.6	Id: 4/5
	Rev: 1





hwde
Sheet: /ports/
File: ports.kicad_sch

Title: network-switch: 5 x H5007NL magnetics, RJ45 jacks, Bob Smith termination

Size: A2	Date:
KiCad E.D.A. 10.0.0	Rev: 1
	Id: 5/5